

Test Report

Report No.: ELE2509C20200

Date: Sep. 16, 2025

Page No.: 1 of 13

Applicant: WEIFANG BAIFEI TEXTILE CO., LTD
Address: Songzhuang Town, Changyi Weifang City, Shandong Province, China.

The following sample was submitted and identified by/on behalf of the client as:

Product Name: Romper
Model No.: BF2025
Age grading: 6M-3T
Age Group Applied in Labeling: 6M-3T
Age group applied in testing: 6M-3T
Manufacturer: WEIFANG BAIFEI TEXTILE CO., LTD
Address: Songzhuang Town, Changyi Weifang City, Shandong Province, China.
Country of Origin: Shandong Weifang China
Sample Received Date: 2025.9.11
Testing Period: 2025.9.11—2025.9.16
Test Requested: Please refer to the following page(s).
Test Method: Please refer to the following page(s).
Test Result(s): Please refer to the following page(s).
Summary of Test Results: Please refer to the Next page(s).

Signed for and on behalf of
Shenzhen Element Testing Co., Ltd.



Noel Yin
Technical Manager



Test Report

Report No.: ELE2509C20200

Date: Sep. 16, 2025

Page No.: 2 of 13

Test Requested**Result**

1. As specified in title 16, code of federal regulations, chapter II- consumer products Safety commission of U.S.A
 - 1.1 Section 16CFR 1501 Pass
 - 1.2 Section 16CFR 1500.48 Pass
 - 1.3 Section 16CFR 1500.49 Pass
 - 1.4 16 CFR Part 1615-STANDARD FOR THE FLAMMABILITY OF CHILDREN'S SLEEPWEAR:
SIZES 0 THROUGH 6X (FF 3-71)
-16CFR 1615.1-Tight Fitting Specifications Pass
2. USA Consumer Product Safety Improvement Act (CPSIA) Sec.101 Children's products containing Lead; Lead paint rule Pass
3. USA Consumer Product Safety Improvement Act (CPSIA) Sec.108 Prohibition on sale of certain products containing specified phthalates USA 16 CFR Part 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates Pass
4. USA 16 CFR Part 1303 Ban of Lead Containing Paint and Certain Consumer Products Bearing Lead- Containing Paint NA
5. CPSIA Section 14(a) (5) Tracking Labels for Children's Products (15 U.S.C. § 2063(a)(5)(A) (CPSIA)) Pass
6. CPSIA Section 103 Tracking Labels for Children's Products Pass

Test Report

Report No.: ELE2509C20200

Date: Sep. 16, 2025

Page No.: 3 of 13

Test Results:

1. As specified in title 16, code of federal regulations, chapter II- consumer products Safety commission of U.S.A

Applicable Section	Description	Result
16 CFR 1501	Identifying toys and other articles intended for use by Children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts.	Pass
16 CFR 1500.48	Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of age.	Pass
16 CFR 1500.49	Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age.	Pass

1.4 16CFR 1615.1-Tight Fitting Specifications

Applicable Section	Description	Result
(a)	Children's Sleepwear means any product of wearing apparel up to and including size 6X such as nightgowns, pajamas. or similar or related items, such as robes, intended to be worn primarily for sleeping or activities related to sleeping, except:	Pass
(1)	Diapers and underwear,	NA
(2)	"Infant garments," as defined by section 1615.1(c), below; and	Pass
(3)	"Tight-fitting garments," as defined by section 1615.1(o), below.	Pass
(b)	Size 6X means the size defined as 6X in Department of Commerce Voluntary Product Standard, previously identified as Commercial Standard, CS 151-50 "Body Measurements for the Sizing of Apparel for Infants, Babies, Toddlers, and Children." 1 1 Copies available from the National Technical Information Service, 5285 Port Royal Street, Springfield, VA 22151, and should be ordered as CS 15150.	NA
(c)	Infant garment means a garment which:	Pass
(1)	Is sized nine months or smaller;	Pass
(2)	If a one-piece garment, does not exceed 64.8 centimeters (25.75 inches) in length; if a two-piece garment, has no piece exceeding 40 centimeters (15.75 inches) in length;	Pass
(3)	Complies with all applicable requirements of the Standard for the Flammability of Clothing Textiles (16 CFR part 1610) and the Standard for the Flammability of Vinyl Plastic Film (16 CFR part 1611); and	Pass
(4)	Bears a label stating the size of the garment, expressed in terms of months of age. For example, "0 to 3 mos." or "g mos." if the label is not visible to the consumer when the garment is offered for sale at retail, the same information must appear legibly on the package of the garment.	Pass
(d)	Item means any product of children's sleepwear, or any fabric or related material intended or promoted for use in children's sleepwear.	NA

Test Report

Report No.: ELE2509C20200

Date: Sep. 16, 2025

Page No.: 4 of 13

Applicable Section	Description	Result
(e)	Trim means decorative materials, such as ribbons, laces, embroidery, or ornaments. This definition does not include (1) individual pieces less than 2 inches in their longest dimension, provided that such pieces do not constitute or cover in aggregate a total of more than 20 square inches of the item, or (2) functional materials (findings), such as zippers, buttons, or elastic bands, used in the construction of garments.	NA
(f)	Test Criteria means the maximum char length which a sample or specimen may exhibit in order to pass an individual test	NA
(g)	Char Length means the distance from the original lower edge of the specimen exposed to the flame in accordance with the procedure specified in § 1615.4 Test procedure to the end of the tear or void in the charred, burned, or damaged area, the tear being made in accordance with the procedure specified in § 1615.4(g)(2).	NA
(h)	Reserved	NA
(i)	Afterglow means the continuation of glowing of parts of a specimen after flaming has ceased.	NA
(j)	Fabric Piece (Piece) means a continuous, unseamed length of fabric.one or more of which make up a unit.	NA
(k)	Fabric Production Unit (Unit) means any quantity of finished fabric up to 5,000 linear yards for normal sampling or 10,000 linear yards for reduced sampling which has a specific identity that remains unchanged throughout the Unit except for color or print pattern as specified in § 1615.4(b). For purposes of this definition, finished fabric means fabric its final form after completing its last processing steps as a fabric except for slitting.	NA
(l)	Garment Production Unit (Unit) means any quantity of finished garments up to 500 dozen which have a specific identity that remains unchanged throughout the Unit except for size, trim, findings, color, and print patterns as specified in § 1615.4(b).	NA
(m)	Sample means five test specimens.	NA
(n)	Specimen means an 8.9 x 25.4 cm. (3.5 x 10 in.) section of fabric. For garment testing the specimen will include a seam or trim.	NA
(o)	Tight-fitting garment means a garment which.	Pass
(1) (i)	In each of the sizes listed below does not exceed the maximum dimension specified below for the chest, waist, seat, upper arm, thigh, wrist, or ankle:	Pass
(ii)	Note: Measure the dimensions on the front of the garment. Lay garment, right side out, on a flat, horizontal surface. Smooth out wrinkles. Measure distances as specified below and multiply them by two. Measurements should be equal to or less	Pass

Test Report

Report No.: ELE2509C20200

Date: Sep. 16, 2025

Page No.: 5 of 13

Applicable Section	Description	Result																											
	than the maximum dimensions given in the standards.																												
(A)	Chest - measure distance from arm pit to arm pit (A to B) as in Diagram 1.	Pass																											
(B)	Waist - See Diagram 1. One-piece garment, measure at the narrowest location between arm pits and crotch (C to D). Two-piece garment, measure width at both the bottom/ sweep of the upper piece (C to D) and, as in Diagram 3, the top of the lower piece (C to D).	Pass																											
(C)	Wrist - measure the width of the end of the sleeve (E to F), if intended to extend to the wrist, as in Diagram 1.	Pass																											
(D)	Upper arm - draw a straight line from waist/sweep D through arm pit B to G. Measure down the sleeve fold from G to H. Refer to table below for G to H distances for each size. Measure the upper arm of the garment (perpendicular to the fold) from H to I as shown in Diagram 1. <table><tr><th>9-12 mo</th><th>12-18 mo</th><th>18-24 mo</th><th>2</th><th>3</th><th>4</th><th>5</th><th>6</th><th>6x</th></tr><tr><td>5.8 cm 2¹/₈</td><td>6.6 cm 2⁵/₈</td><td>7.4 cm 2⁷/₈</td><td>7.4 cm 2⁷/₈</td><td>8.1 cm 3¹/₄</td><td>8.8 cm 3¹/₂</td><td>9.5 cm 3³/₄</td><td>10.3cm 4"</td><td>11 cm 4³/₈</td></tr><tr><td>"</td><td>"</td><td>"</td><td>"</td><td>"</td><td>"</td><td>"</td><td>"</td><td>"</td></tr></table>	9-12 mo	12-18 mo	18-24 mo	2	3	4	5	6	6x	5.8 cm 2 ¹ / ₈	6.6 cm 2 ⁵ / ₈	7.4 cm 2 ⁷ / ₈	7.4 cm 2 ⁷ / ₈	8.1 cm 3 ¹ / ₄	8.8 cm 3 ¹ / ₂	9.5 cm 3 ³ / ₄	10.3cm 4"	11 cm 4 ³ / ₈	"	"	"	"	"	"	"	"	"	Pass
9-12 mo	12-18 mo	18-24 mo	2	3	4	5	6	6x																					
5.8 cm 2 ¹ / ₈	6.6 cm 2 ⁵ / ₈	7.4 cm 2 ⁷ / ₈	7.4 cm 2 ⁷ / ₈	8.1 cm 3 ¹ / ₄	8.8 cm 3 ¹ / ₂	9.5 cm 3 ³ / ₄	10.3cm 4"	11 cm 4 ³ / ₈																					
"	"	"	"	"	"	"	"	"																					
(E)	Seat - Fold the front of the pant in half to find the bottom of the crotch at J as in Diagram 2. The crotch seam and inseam intersect at J. Mark point K on the crotch seam at 4 inches above and perpendicular to the bottom of the crotch. Unfold the garment as in Diagram 3. Measure the seat from L to M through K as shown.	Pass																											
(F)	Thigh - measure from the bottom of the crotch (J) 1 inch down the inseam to N as in Diagram 2. Unfold the garment and measure the thigh from the inseam at N to O as shown in Diagram 3.	Pass																											
(G)	Ankle - measure the width of the end of the leg (P to Q), if intended to extend to the ankle, as in Diagram 3.	Pass																											
(2)	Has no item of fabric, ornamentation or trim, such as lace, appliques, or ribbon, which extends more than 6 millimeters (1/4 inch) from the point of attachment to the outer surface of the garment;	Pass																											
(3)	Has sleeves which do not exceed the maximum dimension for the upper arm at any point between the upper arm and the wrist, and which diminish in width gradually from the top of the shoulder (point G in Diagram 1) to the wrist;	Pass																											
(4)	Has legs which do not exceed the maximum dimension for the thigh at any point between the thigh and the ankle, and which diminish in width gradually from the thigh to the ankle;	Pass																											
(5)	In the case of a one-piece garment, has a width which does not exceed the	Pass																											

Test Report

Report No.: ELE2509C20200

Date: Sep. 16, 2025

Page No.: 6 of 13

Applicable Section	Description	Result
	maximum dimension for the chest at any point between the chest and the waist and which diminishes gradually from the chest to the waist; and has a width which does not exceed the maximum dimension for the seat at any point between the seat and the waist and which diminishes gradually from the seat to the waist;	
(6)	In the case of a two-piece garment has an upper piece with a width which does not exceed the maximum dimension for the chest at any point between the chest and the bottom of that piece and which diminishes gradually from the chest to the bottom of that piece; in the case of an upper piece with fastenings, has the lowest fastening within 15 centimeters (6 inches) of the bottom of that piece;	Pass
(7)	In the case of a two-piece garment, has a lower piece with a width which does not exceed the maximum dimension for the seat at any point between the seat and the top of the lower piece and which diminishes gradually from the seat to the top of that piece;	Pass
(8)	Complies with all applicable requirements of the Standard for the Flammability of Clothing Textiles (16 CFR part 1610) and the Standard for the Flammability of Vinyl Plastic Film (16 CFR part 1611); and	Pass
(9)	Bears a label stating the size of the garment in terms of age in months, or by child's size; for example: "Size 9 to 12 mos." or "Size 2." If the label is not visible to the consumer when the garment is offered for sale at retail, the same information must appear legibly on the package of the garment.	Pass
(10)(I)	Hangtags. Bears a hangtag as shown following this paragraph stating "For child's safety, garment should fit snugly. This garment is not flame resistant. Loose-fitting garment is more likely to catch fire." The hangtag must measure 11/2" x 6 1/4". The text must be enclosed in a text box that measures 1" x 5 3/4" and must be in 18 point Arial/Helvetica font. The hangtag must have a yellow background and black lettering. The color yellow must meet the specifications for Standard Safety Yellow (Hue 5.OY; Value/Chroma 8.0/12) as described in American National Standard ANSI Z535.1-1998, Safety Color Code, p.6, under Munsell Notation.[2] One side of the hangtag must display only this message. The reverse side of the hangtag may display sizing information, but otherwise must be blank. The text must not be obscured by the hole provided for attaching the hangtag to the garment. The hangtag must be prominently displayed on the garment. For child's safety, garment should fit snugly. This garment is not flame resistant. Loose-fitting garment is more likely to catch fire.	Pass
(II)	Packages. If the garments are sold in packages, the package must have a label as shown following this paragraph with the same language that would	Pass

Test Report

Report No.: ELE2509C20200

Date: Sep. 16, 2025

Page No.: 7 of 13

Applicable Section	Description	Result																																																																																																																																																																																																																																																																																																								
	appear on the hangtag. The label must have a text box that measures $3\frac{3}{4} \times 3\frac{3}{4}$. The text must be 11 point Arial/Helvetica in black lettering against a yellow background. The packages must be prominently, conspicuously, and legibly labeled with the required message. The package label may be adhesive. For child's safety, garment should fit snugly. This garment is not flame resistant. Loose-fitting garment is more likely to catch fire.																																																																																																																																																																																																																																																																																																									
(11)	Bears a label as shown following this paragraph stating “Wear Snug-fitting, Not Flame Resistant.” The text must be printed on the front of the sizing label located on the center back of the garment and must be immediately below the size designation. The text must be a minimum of 5 point sans serif font in all capital letters and must be set apart from other label text by a line border. The text must contrast with the background color of the label. The label must not be covered by any other label or tag. WEAR SNUG-FITTING NOT FLAME RESISTANT	Pass																																																																																																																																																																																																																																																																																																								
(1)(i)	In each of the sizes listed below does not exceed the maximum dimension specified below for the chest, waist, seat, upper arm, thigh, wrist, or ankle: <table><thead><tr><th></th><th>Chest</th><th>Waist</th><th>Seat</th><th>Upper arm</th><th>Thigh</th><th>Wrist</th><th>Ankle</th></tr></thead><tbody><tr><td colspan="8">Size 9-12 mos</td></tr><tr><td>Maximum dimension:</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Centimeters</td><td>48.3</td><td>48.3</td><td>48.3</td><td>14.3</td><td>26.7</td><td>10.5</td><td>13</td></tr><tr><td>(inches)</td><td>(19)</td><td>(19)</td><td>(19)</td><td>($5\frac{5}{8}$)</td><td>($10\frac{1}{2}$)</td><td>($4\frac{1}{8}$)</td><td>($5\frac{1}{8}$)</td></tr><tr><td colspan="8">Size 12-18 mos</td></tr><tr><td>Maximum dimension:</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Centimeters</td><td>49.5</td><td>49.5</td><td>50.8</td><td>14.9</td><td>28.3</td><td>10.5</td><td>13.1</td></tr><tr><td>(inches)</td><td>($19\frac{1}{2}$)</td><td>($19\frac{1}{2}$)</td><td>(20)</td><td>($5\frac{7}{8}$)</td><td>($11\frac{1}{8}$)</td><td>($4\frac{1}{8}$)</td><td>($5\frac{1}{8}$)</td></tr><tr><td colspan="8">Size 18-24 mos</td></tr><tr><td>Maximum dimension:</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Centimeters</td><td>52.1</td><td>50.8</td><td>53.3</td><td>15.6</td><td>29.5</td><td>11</td><td>13.6</td></tr><tr><td>(inches)</td><td>($20\frac{1}{2}$)</td><td>(20)</td><td>(21)</td><td>($6\frac{1}{8}$)</td><td>($11\frac{3}{8}$)</td><td>($4\frac{1}{4}$)</td><td>($5\frac{3}{8}$)</td></tr><tr><td colspan="8">Size 2</td></tr><tr><td>Maximum dimension:</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Centimeters</td><td>52.1</td><td>50.8</td><td>53.3</td><td>15.6</td><td>29.8</td><td>11.4</td><td>14</td></tr><tr><td>(inches)</td><td>($20\frac{1}{2}$)</td><td>(20)</td><td>(21)</td><td>($6\frac{1}{8}$)</td><td>($11\frac{3}{4}$)</td><td>($4\frac{1}{2}$)</td><td>($5\frac{1}{2}$)</td></tr><tr><td colspan="8">Size 3</td></tr><tr><td>Maximum dimension:</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Centimeters</td><td>53.3</td><td>52.1</td><td>56</td><td>16.2</td><td>31.4</td><td>11.7</td><td>14.9</td></tr><tr><td>(inches)</td><td>(21)</td><td>($20\frac{1}{2}$)</td><td>(22)</td><td>($6\frac{3}{8}$)</td><td>($12\frac{3}{8}$)</td><td>($4\frac{5}{8}$)</td><td>($5\frac{7}{8}$)</td></tr><tr><td colspan="8">Size 4</td></tr><tr><td>Maximum dimension:</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Centimeters</td><td>56</td><td>53.3</td><td>58.4</td><td>16.8</td><td>33.0</td><td>12.1</td><td>15.9</td></tr><tr><td>(inches)</td><td>(22)</td><td>(21)</td><td>(23)</td><td>($6\frac{5}{8}$)</td><td>(13)</td><td>($4\frac{3}{4}$)</td><td>($6\frac{1}{4}$)</td></tr><tr><td colspan="8">Size 5</td></tr><tr><td>Maximum dimension:</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Centimeters</td><td>58.4</td><td>54.6</td><td>61.0</td><td>17.5</td><td>34.6</td><td>12.4</td><td>16.8</td></tr><tr><td>(inches)</td><td>(23)</td><td>($21\frac{1}{2}$)</td><td>(24)</td><td>($6\frac{7}{8}$)</td><td>($13\frac{5}{8}$)</td><td>($4\frac{7}{8}$)</td><td>($6\frac{5}{8}$)</td></tr><tr><td colspan="8">Size 6</td></tr><tr><td>Maximum dimension:</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Centimeters</td><td>61.0</td><td>55.9</td><td>63.5</td><td>18.1</td><td>36.2</td><td>12.7</td><td>17.8</td></tr><tr><td>(inches)</td><td>(24)</td><td>(22)</td><td>(25)</td><td>($7\frac{1}{8}$)</td><td>($14\frac{1}{4}$)</td><td>(5)</td><td>(7)</td></tr><tr><td colspan="8">Size 6X</td></tr><tr><td>Maximum dimension:</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Centimeters</td><td>62.9</td><td>57.2</td><td>65.4</td><td>18.7</td><td>37.8</td><td>13.0</td><td>18.7</td></tr><tr><td>(inches)</td><td>($24\frac{3}{4}$)</td><td>($22\frac{1}{2}$)</td><td>($25\frac{3}{4}$)</td><td>($7\frac{3}{8}$)</td><td>($14\frac{7}{8}$)</td><td>($5\frac{1}{8}$)</td><td>($7\frac{3}{8}$)</td></tr></tbody></table>		Chest	Waist	Seat	Upper arm	Thigh	Wrist	Ankle	Size 9-12 mos								Maximum dimension:								Centimeters	48.3	48.3	48.3	14.3	26.7	10.5	13	(inches)	(19)	(19)	(19)	($5\frac{5}{8}$)	($10\frac{1}{2}$)	($4\frac{1}{8}$)	($5\frac{1}{8}$)	Size 12-18 mos								Maximum dimension:								Centimeters	49.5	49.5	50.8	14.9	28.3	10.5	13.1	(inches)	($19\frac{1}{2}$)	($19\frac{1}{2}$)	(20)	($5\frac{7}{8}$)	($11\frac{1}{8}$)	($4\frac{1}{8}$)	($5\frac{1}{8}$)	Size 18-24 mos								Maximum dimension:								Centimeters	52.1	50.8	53.3	15.6	29.5	11	13.6	(inches)	($20\frac{1}{2}$)	(20)	(21)	($6\frac{1}{8}$)	($11\frac{3}{8}$)	($4\frac{1}{4}$)	($5\frac{3}{8}$)	Size 2								Maximum dimension:								Centimeters	52.1	50.8	53.3	15.6	29.8	11.4	14	(inches)	($20\frac{1}{2}$)	(20)	(21)	($6\frac{1}{8}$)	($11\frac{3}{4}$)	($4\frac{1}{2}$)	($5\frac{1}{2}$)	Size 3								Maximum dimension:								Centimeters	53.3	52.1	56	16.2	31.4	11.7	14.9	(inches)	(21)	($20\frac{1}{2}$)	(22)	($6\frac{3}{8}$)	($12\frac{3}{8}$)	($4\frac{5}{8}$)	($5\frac{7}{8}$)	Size 4								Maximum dimension:								Centimeters	56	53.3	58.4	16.8	33.0	12.1	15.9	(inches)	(22)	(21)	(23)	($6\frac{5}{8}$)	(13)	($4\frac{3}{4}$)	($6\frac{1}{4}$)	Size 5								Maximum dimension:								Centimeters	58.4	54.6	61.0	17.5	34.6	12.4	16.8	(inches)	(23)	($21\frac{1}{2}$)	(24)	($6\frac{7}{8}$)	($13\frac{5}{8}$)	($4\frac{7}{8}$)	($6\frac{5}{8}$)	Size 6								Maximum dimension:								Centimeters	61.0	55.9	63.5	18.1	36.2	12.7	17.8	(inches)	(24)	(22)	(25)	($7\frac{1}{8}$)	($14\frac{1}{4}$)	(5)	(7)	Size 6X								Maximum dimension:								Centimeters	62.9	57.2	65.4	18.7	37.8	13.0	18.7	(inches)	($24\frac{3}{4}$)	($22\frac{1}{2}$)	($25\frac{3}{4}$)	($7\frac{3}{8}$)	($14\frac{7}{8}$)	($5\frac{1}{8}$)	($7\frac{3}{8}$)	
	Chest	Waist	Seat	Upper arm	Thigh	Wrist	Ankle																																																																																																																																																																																																																																																																																																			
Size 9-12 mos																																																																																																																																																																																																																																																																																																										
Maximum dimension:																																																																																																																																																																																																																																																																																																										
Centimeters	48.3	48.3	48.3	14.3	26.7	10.5	13																																																																																																																																																																																																																																																																																																			
(inches)	(19)	(19)	(19)	($5\frac{5}{8}$)	($10\frac{1}{2}$)	($4\frac{1}{8}$)	($5\frac{1}{8}$)																																																																																																																																																																																																																																																																																																			
Size 12-18 mos																																																																																																																																																																																																																																																																																																										
Maximum dimension:																																																																																																																																																																																																																																																																																																										
Centimeters	49.5	49.5	50.8	14.9	28.3	10.5	13.1																																																																																																																																																																																																																																																																																																			
(inches)	($19\frac{1}{2}$)	($19\frac{1}{2}$)	(20)	($5\frac{7}{8}$)	($11\frac{1}{8}$)	($4\frac{1}{8}$)	($5\frac{1}{8}$)																																																																																																																																																																																																																																																																																																			
Size 18-24 mos																																																																																																																																																																																																																																																																																																										
Maximum dimension:																																																																																																																																																																																																																																																																																																										
Centimeters	52.1	50.8	53.3	15.6	29.5	11	13.6																																																																																																																																																																																																																																																																																																			
(inches)	($20\frac{1}{2}$)	(20)	(21)	($6\frac{1}{8}$)	($11\frac{3}{8}$)	($4\frac{1}{4}$)	($5\frac{3}{8}$)																																																																																																																																																																																																																																																																																																			
Size 2																																																																																																																																																																																																																																																																																																										
Maximum dimension:																																																																																																																																																																																																																																																																																																										
Centimeters	52.1	50.8	53.3	15.6	29.8	11.4	14																																																																																																																																																																																																																																																																																																			
(inches)	($20\frac{1}{2}$)	(20)	(21)	($6\frac{1}{8}$)	($11\frac{3}{4}$)	($4\frac{1}{2}$)	($5\frac{1}{2}$)																																																																																																																																																																																																																																																																																																			
Size 3																																																																																																																																																																																																																																																																																																										
Maximum dimension:																																																																																																																																																																																																																																																																																																										
Centimeters	53.3	52.1	56	16.2	31.4	11.7	14.9																																																																																																																																																																																																																																																																																																			
(inches)	(21)	($20\frac{1}{2}$)	(22)	($6\frac{3}{8}$)	($12\frac{3}{8}$)	($4\frac{5}{8}$)	($5\frac{7}{8}$)																																																																																																																																																																																																																																																																																																			
Size 4																																																																																																																																																																																																																																																																																																										
Maximum dimension:																																																																																																																																																																																																																																																																																																										
Centimeters	56	53.3	58.4	16.8	33.0	12.1	15.9																																																																																																																																																																																																																																																																																																			
(inches)	(22)	(21)	(23)	($6\frac{5}{8}$)	(13)	($4\frac{3}{4}$)	($6\frac{1}{4}$)																																																																																																																																																																																																																																																																																																			
Size 5																																																																																																																																																																																																																																																																																																										
Maximum dimension:																																																																																																																																																																																																																																																																																																										
Centimeters	58.4	54.6	61.0	17.5	34.6	12.4	16.8																																																																																																																																																																																																																																																																																																			
(inches)	(23)	($21\frac{1}{2}$)	(24)	($6\frac{7}{8}$)	($13\frac{5}{8}$)	($4\frac{7}{8}$)	($6\frac{5}{8}$)																																																																																																																																																																																																																																																																																																			
Size 6																																																																																																																																																																																																																																																																																																										
Maximum dimension:																																																																																																																																																																																																																																																																																																										
Centimeters	61.0	55.9	63.5	18.1	36.2	12.7	17.8																																																																																																																																																																																																																																																																																																			
(inches)	(24)	(22)	(25)	($7\frac{1}{8}$)	($14\frac{1}{4}$)	(5)	(7)																																																																																																																																																																																																																																																																																																			
Size 6X																																																																																																																																																																																																																																																																																																										
Maximum dimension:																																																																																																																																																																																																																																																																																																										
Centimeters	62.9	57.2	65.4	18.7	37.8	13.0	18.7																																																																																																																																																																																																																																																																																																			
(inches)	($24\frac{3}{4}$)	($22\frac{1}{2}$)	($25\frac{3}{4}$)	($7\frac{3}{8}$)	($14\frac{7}{8}$)	($5\frac{1}{8}$)	($7\frac{3}{8}$)																																																																																																																																																																																																																																																																																																			

Test Report

Report No.: ELE2509C20200

Date: Sep. 16, 2025

Page No.: 8 of 13

Note: NA = Not Applicable

16 CFR 1615- Flammability of Children's Sleepwear: Sizes 0 Through 6X (FF 3-71)

Sample	Specimen (in)	Char length (in)	Result	Limit (in)
Beige textile fabric (1)	3.5×10	5.0	Pass	10
Beige textile fabric (2)	3.5×10	5.2	Pass	10
Beige textile fabric (3)	3.5×10	5.2	Pass	10
Beige textile fabric (4)	3.5×10	4.8	Pass	10
Beige textile fabric (5)	3.5×10	5.2	Pass	10
Average:	3.5×10	5.1	Pass	7.0

Note: In accordance with the 16 CFR 1615.3,

The average char length of five specimens shall not exceed 17.8 cm. (7.0 in.).

Full specimen burn. No individual specimen shall have a char length of 25.4 cm. (10 in.).

2. Lead Content

2.1 CPSIA - Lead in Paint/Similar Surface Coating Materials

Test Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Analysis was performed by ICP-OES

Tested Item	MDL (mg/kg)	Limit(mg/kg)	Result (mg/kg)
			No Surface Coating materials
Total Lead (Pb)	10	90	NA

2.2 CPSIA - Lead in Accessible Substrate Materials

Test Method: With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product ;

Analysis was performed by ICP-OES

Tested Item	MDL (mg/kg)	Limit(mg/kg)	Result (mg/kg)
			1+2+3
Total Lead (Pb)	10	100	ND

Test Report

Report No.: ELE2509C20200

Date: Sep. 16, 2025

Page No.: 9 of 13

3. CPSIA – Phthalates Content

Test Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Test Item(s)	CAS No.	Unit	MDL	Limit	Result (s)
					1+2+3
Dibutyl Phthalate (DBP)	84-74-2	mg/kg	30	1000	ND
Benzylbutyl Phthalate (BBP)	85-68-7	mg/kg	30	1000	ND
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	mg/kg	30	1000	ND
Diisononyl phthalate (DINP)	28553-12-0	mg/kg	100	1000	ND
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	mg/kg	30	1000	ND
Diisobutyl phthalate (DIBP)	84-69-5	mg/kg	30	1000	ND
Di-n-pentylphthalate (DPEP/DPENP)	131-18-0	mg/kg	30	1000	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	mg/kg	30	1000	ND

4. USA 16 CFR Part 1303 Ban of Lead Containing Paint and Certain Consumer Products Bearing Lead- Containing Paint

Test Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Analysis was performed by ICP-OES

Test Item(s)	Unit	MDL	Limit	Result
				No coating material
Lead (Pb)	mg/kg	10	90	NA

5. CPSIA Section 14(a) (5) Tracking Labels for Children's Products (15 U.S.C. § 2063(a)(5)(A) (CPSIA))

Applicable Section	Description	Result
(a)(5)(A)	Effective 1 year after the date of enactment of the Consumer Product Safety Improvement Act of 2008, the manufacturer of a children's product shall place permanent, distinguishing marks on the product and its packaging, to the extent practicable, that will enable	Pass
(i)	the manufacturer to ascertain the location and date of production of the product, cohort information (including the batch, run number, or other identifying characteristic), and any other information determined by the manufacturer to facilitate ascertaining the specific source of the product by reference to those marks, and	Pass
(ii)	the ultimate purchaser to ascertain the manufacturer or private labeler location and date of	Pass

Test Report

Report No.: ELE2509C20200

Date: Sep. 16, 2025

Page No.: 10 of 13

Applicable Section	Description	Result
	production of the product, and cohort information (including the batch, run number, or other identifying characteristic).	
(B)	The Commission may, by regulation, exclude a specific product or class of products from the requirements in subparagraph (A) if the Commission determines that it is not practicable for such product or class of products to bear the marks required by such subparagraph. The Commission may establish alternative requirements for any product or class of product excluded under the preceding sentence consistent with the purposes described in clauses (i) and (ii) of subparagraph (A).	NA
(b)	The Commission may by rule prescribe reasonable testing programs for any product which is subject to a consumer product safety rule under this Act, or a similar rule, regulation, standard, or ban under any other Act enforced by the Commission, and for which a certificate is required under subsection (a). Any test or testing program on the basis of which a certificate is issued under subsection (a) may, at the option of the person required to certify the product be conducted by an independent third party qualified to perform such tests, unless the Commission, by rule, requires testing by an independent third party for a particular rule, regulation, standard, or ban, or for a particular class of products	Pass
(c)	The Commission may by rule require the use and prescribe the form and content of labels which contain the following information (or that portion of it specified in the rule) -	Pass
(1)	The date and place of manufacture of any consumer product	Pass
(2)	The cohort information (including the batch, run number, or other identifying characteristic) of the product.	Pass
(3)	A suitable identification of the manufacturer of the consumer product, unless the product bears a private label in which case it shall identify the private labeler and shall also contain a code mark which will permit the seller of such product to identify the manufacturer thereof to the purchaser upon his request	Pass
(4)	in the case of a consumer product subject to a consumer product safety rule, a certification that the product meets all applicable consumer product safety standards and a specification of the standards which are applicable. Such labels, where practicable, may be required by the Commission to be permanently marked on or affixed to any such consumer product. The Commission may, in appropriate cases, permit information required under paragraphs (1) and (2) of this subsection to be coded.	Pass
(d)	REQUIREMENT FOR ADVERTISEMENTS. -No advertisement for a consumer product or label or packaging of such product may contain a reference to a consumer product safety rule or a voluntary consumer product safety standard unless such product conforms with the applicable safety requirements of such rule or standard.	Pass

Test Report

Report No.: ELE2509C20200

Date: Sep. 16, 2025

Page No.: 11 of 13

Applicable Section	Description	Result
(e)	WITHDRAWAL OF ACCREDITATION	Pass
(f)	DEFINITIONS. -- In this section	Pass
(g)	REQUIREMENTS FOR CERTIFICATES. - (1) IDENTIFICATION OF ISSUER AND CONFORMITY ASSESSMENTBODY. -- Every certificate required under this section shall identify the manufacturer or private labeler issuing the certificate and any third-party conformity assessment body on whose testing the certificate depends. The certificate shall include, at a minimum, the date and place of manufacture, the date and place where the product was tested, each party's name, full mailing address, telephone number, and contact information for the individual responsible for maintaining records of test results.	Pass
(h)	RULE OF CONSTRUCTION.	Pass
(i)	ADDITIONAL REGULATIONS FOR THIRD PARTY TESTING	Pass

6. CPSIA Section 103 Tracking Labels for Children's Products

Description	Result
1. Is the product intended for children under 12 years? If no, the section is not applicable.	Yes
2. Is the product and packaging or only packaging (for product exempted from the marking) marked below information?	Yes
2.1 Name of the manufacturer or the name of the private labeler.	Pass
2.2 Manufacturer or private labeler location, including the name of the country, and the name or other means of coding of city and state.	Pass
2.3 Date of production of the product, in a form of MM/YY or any other coding system.	Pass
2.4 Cohort information (including the batch, run number, or another identifying characteristic).	Pass
3. Is the label permanent after below permanency testing?	Yes

Specimen Description:

- Purple textile fabric
- Multi color textile fabric
- Multi color textile fabric

Note:

- MDL = Method Detection Limit
- ND = Not Detected(<MDL)
- 1mg/kg=1ppm=0.0001%
- “+” =Composite test has been performed as per client’s request and the result(s) is (are) calculated using the minimum specimen weight.
- “-” =Not Regulated
- Only selected materials were tested as per client’s requirement.

Test Report

Report No.: ELE2509C20200

Date: Sep. 16, 2025

Page No.: 12 of 13

Photo(s) of the sample(s)



Test Report

Report No.: ELE2509C20200

Date: Sep. 16, 2025

Page No.: 13 of 13

Photo(s) of the sample(s)

***** End of Report *****

Remark: This report is considered invalidated without the Special Seal of Shenzhen Element Testing Co., Ltd.. This report shall not be altered, increased, or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Shenzhen Element Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.